

PCTWORLD INTELLECTUAL PROPERTY
International

WO 9608555A1

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : C11D 11/00, 17/00	A1	(11) International Publication Number: WO 96/08555 (43) International Publication Date: 21 March 1996 (21.03.96)
<p>(21) International Application Number: PCT/US95/11165</p> <p>(22) International Filing Date: 1 September 1995 (01.09.95)</p> <p>(30) Priority Data: 94870148.7 12 September 1994 (12.09.94) EP</p> <p>(34) Countries for which the regional or international application was filed: BE et al.</p> <p>(71) Applicant (for all designated States except US): THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US).</p> <p>(72) Inventors; and (75) Inventors/Applicants (for US only): TACK, Joris, Josef, Gustaaf [BE/BE]; E. Opdebeecklaan 5, B-3140 Keerbergen (BE). VARLET, Jean-Luc, André, Patrick [FR/BE]; 62, rue du Château d'eau, B-1180 Uccle (BE). VAN DE POL, Bruno [BE/BE]; Nattehofstraat 96/2, B-2800 Mechelen (BE).</p> <p>(74) Agents: REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Avenue, Cincinnati, OH 45217 (US).</p>		<p>(81) Designated States: CA, FI, JP, NO, US.</p> <p>Published <i>With international search report.</i></p>
<p>(54) Title: A UNIT PACKAGED DETERGENT</p> <p>(57) Abstract</p> <p>The present invention provides a detergent for automatic dish washing packaged in a film. Said film is made of a water dissolvable material. This material is completely dissolved only after reaching the main wash of the wash cycle. Therefore, said material prevents that the detergent is precociously dissolved and wasted during the initial rinse cycle of a dish washing machine.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LJ	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

5

10

A UNIT PACKAGED DETERGENT

15

20

Field of the Invention

The present invention relates to packaged detergent and/or additive composition for the dish washing machine.

25

Background of the Invention

The traditional form of detergent and/or additive compositions for use in dish washing is granules or non particulate solids such as bars or tablets or briquettes. In the following, the term tablet will refer to any form of non particulate solids. For automatic dish washing machines, said detergent and/or additive tablets or granules are respectively placed or poured in the dispenser located in said dish washing machine or in an adequate dispensing device which is then placed in said washing machine.

35

In order to simplify the dosing of detergents for a washing cycle in a machine and to avoid wasting through spillage during the dosing action, EP-B-0 388 105 (=D1) describes a unit packaged detergent. Said unit packaged detergent is a detergent packaged in a water soluble polymer film or sheet in such a form that it is suitable for one wash. This unit packaged detergent is placed in the machine without unwrapping the contained detergent from the packaging. This is possible, since said packaging is made of a water dissolvable polymer film. To avoid the unwrapping of the detergent from the packaging has several advantages. First, said unit packaged detergent prevents wasting through spillage of the detergent and/or additive composition. Second, said unit packaged detergent eliminates the need for the user to estimate the dosage of said composition required and ensures that the correct dosage of said composition per wash cycle is used by the user. Third, the fingers of a user do not come in contact with the wrapped detergent composition.

The problem of D1 is to provide a polymer film with increased solubility to avoid remnants of gel or jelly of insoluble polymer film which may adhere to the washed clothes. This problem is solved by developing a polymer having a dissolution time in water of less than 20 sec at 20°C. But this development cannot be readily applied in an automatic dish washing machine.

Indeed, we found that there is a sub-optimum washing performance obtained with a detergent packaged as in D1, as compared to the same amount of the detergent, but introduced through the dispenser of the dish washing machine. We have identified the cause for this sub-optimum performance, which is a loss of detergent in the initial rinse cycle prior to the main wash cycle in a dish washing machine. The initial rinse cycle is a prewash with cold water of the tap (10°C to 20°C) without detergent and lasting for about 10 min to 15 min. Consequently, we have determined that the packaging as described in D1 dissolves completely releasing the contained detergent in the water of the initial rinse cycle, i.e. part of the detergent dissolves during the initial rinse cycle. The sub-optimum washing performance is a consequence of the dissolution of part of the detergent during the initial rinse cycle, since it is lost for the main wash.

Therefore, we have found that to avoid a precocious dissolution of the detergent, the unit packaged detergent described in the prior art has to be protected from the water of the initial rinse cycle. A possible solution would be to place the unit packaged detergent of the prior art inside the dispenser of the dish washing machine which opens only with the start of the main wash cycle. But this may cause logistic problems. Indeed, the dimension and the shape of the unit packaged detergent is then limited by the dimension and the shape of the dispenser of the dish washing machine. This limitation could be especially a problem when the unit packaged detergent contains detergent in solid form, like tablets, which may not have the dimension and the shape of the dispenser. As a consequence, it is possible that such a unit packaged detergent containing a tablet cannot be used in that particular washing machine without avoiding a decreased washing performance.

It is therefore an object of the present invention to provide a unit packaged detergent which shows no decrease of washing performance when the washing machine has a initial rinse and a main wash cycle without the need to place said unit packaged detergent into the dispenser of the washing machine.

Another object of the present invention is the method of manufacture of the unit packaged detergent according to the present invention.

Summary of the Invention

The present invention provides a unit packaged detergent for automatic dish washing. Said unit packaged detergent comprises a detergent composition wrapped in a film made of a water dissolvable material. Said water dissolvable material protects the wrapped detergent from dissolution until the start of the main wash in a dish washing machine.

Detailed Description of the Invention

In the following any detergent and/or additive compositions will be encompassed by the term "detergent". This detergent composition may be in the form of granules or of any non particulate solids such as bars or tablets or briquettes. The word "tablet" encompasses in the following any form of non

particulate solids. Said tablet may have any shape. Preferably, said solid non particulate detergent tablet is symmetrical to ensure the uniform dissolution of the tablet in the wash liquor. According to the present invention the detergent and/or additive composition may comprise any ingredients known in the art for dish washing. Such ingredients may include surfactants, suds suppressers, bleaches, chelants, builders, enzymes, fillers and perfumes.

According to the present invention, a predosed quantity of detergent is wrapped in a packaging to form a unit packaged detergent. The wording "unit packaged detergent" means a packaged amount of detergent suitable for one wash. Nevertheless, two or more unit packaged detergents according to the present invention may be used in a single wash to meet different washing conditions, like dirtiness of washing, amount of washing, volume of washing machine, hardness of water, temperature of water and type of detergent. Said packaging is made of a water dissolvable material. The unit packaged detergent according to the present invention may contain between 3g and 100g of detergent, more preferably between 10g and 50g, most preferably between 25g and 35 g of detergent.

As an essential feature of the present invention, the packaging of the unit packaged detergent is made of a material which dissolves in water, but which protects the wrapped detergent from dissolution until the start of the main wash in a dish washing machine. Indeed, most of the automatic dish washing machines, may perform a initial rinse cycle before the main cycle. The initial rinse cycle is a prewash with cold water of the tap (about 20°C or less) without detergent and lasting for about 10 to 15 min. The material of the packaging of said unit packaged detergent should not dissolve completely in the initial rinse cycle. A packaging that completely dissolves means that the content of said packaging is not protected anymore from dissolution. For example, a detergent contained in said packaging would be available for dissolution during the initial rinse cycle. The part of the detergent dissolved during the initial rinse cycle is wasted, since this dissolved part is lost for the main wash.

On the other hand, once the main cycle starts the detergent should be available for dissolution as soon as possible, also in case that there was no pre-dissolution of the packaging during the initial rinse cycle. This is especially important for laundry washing machines which usually only comprise the main

wash. The main wash is the washing with detergent in the washing machines performed at temperatures greater than 20°C, more preferably at 30°C or more.

5 According to the present invention the above problem is solved by choosing a water dissolvable material having a dissolution time which strongly depends from the water temperature. Specifically, the dissolution time of said material has to be such that it is not completely dissolved within 10 min to 15 min at a water temperature of 20°C or less, i.e. said material does not dissolve during
10 the initial rinse cycle. Whereas at temperatures above 20°C, preferably at temperatures starting from 30 °C, the same material dissolves completely in 2 min or less, preferably within 1 min. In this manner, the detergent wrapped within this material is protected from dissolution in the initial rinse cycle, but is readily available for dissolution in the main wash. Therefore, a unit packaged
15 detergent, comprising an amount of detergent wrapped in a water dissolvable material as described before, does not need to be placed in the dispenser of the washing machine. On the contrary, said unit packaged detergent can be placed anywhere in the washing machine together with the dishes or with the laundry.

20

This unit packaged detergent of the present invention is placed in the machine without unwrapping the contained detergent from the packaging. This is possible, since said packaging is made of a water dissolvable material, as described above. To avoid the unwrapping the detergent from the packaging
25 has several advantages. First, said unit packaged detergent prevents wasting through spillage of the detergent and/or additive composition. Spillage may occur during the measuring and/or dispensing into the dispenser of the washing machine or into a dispensing device. Second, said unit packaged detergent eliminates the need for the user to estimate the dosage of said
30 composition required and ensures that the correct dosage of said composition per wash cycle is used by the user. Therefore, separate measuring and/or dosing devices are superfluous. Third, the fingers of a user do not come in contact with the wrapped detergent composition, which means that the user avoids to soil its fingers and/or hands. Fourth, said unit packaged detergent
35 can be placed in a washing machine at any place together with the dish or the laundry.

Preferably, water dissolvable polymers are used as water dissolvable materials for said unit packaged detergent. Preferably, polyvinyl alcohol (=PVOH) may be used as water dissolvable packaging material of said detergent tablet. PVOH is a hygroscopic material, i.e. this material dissolves in water. The rate of dissolution in water depends from the thickness of said water dissolvable material used, the molecular weight of said material and the temperature of the water. A fast rate is achieved by decreasing the thickness and/or the molecular weight of said water dissolvable material and/or increasing the temperature of the water. Preferably, the present invention uses water dissolvable polymeric materials of thicknesses between 10 μm and 30 μm , more preferably between 20 μm and 30 μm at a molecular weight between 50,000 and 200,000, more preferably between 80,000 and 150,000. For example, taking a unit packaged detergent made of a 30 μm thick PVOH film with a molecular weight of 100,000 and which contains 30g of detergent does not dissolve completely after 15 min at 20°C water temperature, and within 2 min at 30°C water temperature. This means that the wrapped detergent is protected from a precocious dissolution during the initial rinse cycle, whereas said wrapped detergent is made readily available for dissolution in the main washing cycle.

20

As preferred options, said unit packaged detergent may be a bag which contains substantially in a loose manner the detergent or an additional layer on the outer surface of a detergent tablet. Preferably, said unit packaged detergents are delivered in a container made of any material, like carton, plastic or metal. As a preferred option, said unit packaged detergents may be packed and sold in a string, each unit packaged detergents being individually separable by a perforation line. Therefore, each unit packaged detergent can be individually torn off from said string and placed without unwrapping the contained detergent in the washing machine. As other options, said packaging material of the unit packaged detergent may be translucent, opaque or having a printed side.

30

As another preferred option, said unit packaged detergent may comprise also an additive which provides an unbearable bitter taste. This additive may be coated onto said unit packaged detergent. This improves the prevention that children may accidentally ingest the complete packaging detergent. Such an additive is for example a trademark called BITREX™.

35

As a further optional preferred embodiment of the present invention, said unit packaged detergent may be provided with a glue coating being on at least one side of said packaging. In this manner, said packaging wrapping said
5 detergent tablet may be stuck on any place of a dish washing machine, as convenient for the load to be washed and cleaned. For example the side walls, the front or top door are possible places where said unit packaged detergent may be stuck in said washing machine. Preferably, said glue is water
10 dissolvable or dissolves upon the effect of temperature. Preferably, said glue coating has the same or less water solubility than the packaging. In this manner, the unit packaging detergent is prevented to fall before the start of the main wash cycle. Then said unit packaged detergent falls into the wash liquor to allow the complete dissolution of said unit packaged detergent, i.e. rest of
15 packaging and contained detergent. The glue coating may be protected with a protective sheet of paper or else which can be easily removed. The protective sheet prevents sticking of, for example, dust particles on the glue coating which could diminish the sticking properties of said glue coating. The glue coating may be provided for example by a layer of polyurethane on the outer
20 surface of said unit packaged detergent.

The unit packaged detergent according to the present invention may be manufactured in the following way :

- the detergent composition is prepared in its granular or particulate form;
25
- if appropriate, the granular or particulate detergent composition may be formed into a tablet of the desired shape and size by any of the method selected from the group of: compression, extrusion and casting, whereas said detergent composition is homogeneously distributed throughout the
30 tablet or comprises different layers of certain detergent ingredients;
- a water dissolvable material is prepared in form of a film;
- if appropriate, said water dissolvable film may be also provided with a
35 coating of a water dissolvable glue, this coating preferably on the side of said water dissolvable film being on the outer side of the unit packaged detergent;

- then said detergent in granular or tablet form is wrapped into said water dissolvable film to form the unit packaged detergent;
- 5 • the water dissolvable film is sealed around said detergent so that said film forms a layer directly attached to the outer surface of said tablet, or so that said film forms a bag containing said detergent;
- 10 • if necessary, a perforation line is added between each unit packaged detergent in a string of unit packaged detergents, otherwise each unit packaged detergent is cut from each other.

The unit packaged detergent according to the present invention may be used in the following manner:

- 15 • a unit packaged detergent necessary for a dish wash cycle in an automatic washing machine is taken from a container, if needed by tearing off a unit packaged detergent along the perforation line in a string of several unit packaged detergents;
- 20 • said unit packaged detergent is placed into a dish washing machine together with the dish without unwrapping said detergent.
- 25 • if appropriate, to stick said unit packaged detergent at any convenient place in the machine.

WHAT IS CLAIMED IS:

1. A unit packaged detergent for dish washing, said unit packaged detergent comprises a detergent composition wrapped in a film made of a water dissolvable material characterized in that said water dissolvable material protects the wrapped detergent from dissolution until the start of the main wash of a dish washing machine.
2. A unit packaged detergent according to claim 1 characterized in that said water dissolvable material has a thickness of between 10 μm and 30 μm and a molecular weight between 50,000 and 200,000.
3. A unit packaged detergent according to any of the preceding claims characterized in that said water dissolvable material does not dissolve completely within 15 min at a water temperature of 20° C or less, but does dissolve completely in 2 min or less at a water temperature of 30°C or more.
4. A unit packaged detergent according to any of the preceding claims characterized in that at least one side of said water dissolvable unit packaged detergent is sticky.
5. A unit packaged detergent according to claim 4 characterized in that said sticky part of said unit packaged detergent is made of a water dissolvable glue.
6. A unit packaged detergent according to any of the preceding claims characterized in that an additive is added to said water dissolvable material to give a bitter taste to said material.
7. A unit packaged detergent according to claim 6 characterized in that said additive is BITREX™.
8. A unit packaged detergent according to any of the preceding claims characterized in that said water dissolvable material is polyvinyl alcohol.

- placing said unit packaged detergent into a dish washing machine together with the dish without unwrapping said detergent.

- 5 11. A method according to claim 10 of using a unit packaged detergent of claims 4 or 5 characterized in that said unit packaged detergent is stuck at any convenient place in the machine.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US95/11165**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) : C11D 11/00; 17/00

US CL : 252/89.1, 90, 93, 174, 174.13; 206/524.1, 524.7; 262/141, 176.1

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 252/89.1, 90, 93, 174, 174.13; 206/524.1, 524.7; 262/141, 176.1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

NONE

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS, STN

search terms: package, detergent, coat? or encapsulat? or wrapped, polyvinyl alcohol, glue, dishwashing

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, X	US, A, 5,384,364 (BESSE ET AL) 24 January 1995, abstract, col. 2 lines 60-64, col. 4 lines 1-30, Table D, Example 6.	1-3
X	US, A, 5,234,615 (GLADFELTER ET AL) 10 August 1993, abstract, col. 3 lines 31-68, col. 5 lines 32-40, col. 6 lines 21-24, col. 17 lines 35-54, Examples 4 and 6.	1-3
X	US, A, 5,198,198 (GLADFELTER ET AL) 30 March 1993, abstract, col. 3 lines 24-68, col. 4 lines 22-28, col. 5 lines 4-32, Examples 3-5.	1-3
X	US, A, 4,747,976 (YANG ET AL) 31 May 1988, abstract, col. 4 lines 43-64, col. 5 lines 30-37, col. 7 lines 37-40, Examples.	1-3

☒ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	* T	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
* A* document defining the general state of the art which is not considered to be of particular relevance	* X	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
* E* earlier document published on or after the international filing date	* Y	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
* L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	* A*	document member of the same patent family
* O* document referring to an oral disclosure, use, exhibition or other means		
* P* document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

15 NOVEMBER 1995

Date of mailing of the international search report

12 DEC 1995

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231Authorized officer
PAUL LIEBERMAN

Facsimile No. (703) 305-3230

Telephone No. (703) 308-2523

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US95/11165

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☒ Claims Nos.: 4-11
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
☐ No protest accompanied the payment of additional search fees.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.